

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S38	3162	(tube or lamp or OCFL or (cold near2 cathode)) and ((high or low) near3 impedance) and (differen\$3 near3 phase)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:04
S39	705	S38 and ((correct\$3 or adjust\$3) near3 phase)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:05
S40	547	S39 and (delay\$3 or puls\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:06
S41	405	S39 and delay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:06
S42	300	S39 not S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:06
S43	200	S41 and (puls\$3 near3 signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:07
S44	205	S41 not S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:07

S45	23	("20040207339" "20040232853" "20050156534" "20050285478" "20070052664" "4508996" "5959412" "6661181" "6714111" "6979957" "7038397").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:09
S46	59	((akeyuki near3 komatsu) or (eiji near3 miyake) or (kenji near3 kawataka)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:12
S47	43	S46 and matsushita	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:13
S48	16	S46 not S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 14:13

7/10/2008 6:44:04 PM

C:\Documents and Settings\tle16\My Documents\EAST\Workspaces\10578200.wsp